



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007095024

Filing Deadline: January 15, 2016

FRN: 0001699693

Filing Date: 01/13/2016 11:37 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cross Valliant Cellular Partnership

Brand Names: Sprocket Wireless

PO Box: 9

Street Address:

City: Warner

State: OK

Zip Code: 74469

Contact Name: John C. Ruhl

Contact Phone: (405) 368-7649

Contact Fax:

Contact Email: jcruhl@crosstel.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Lukas, Nace, Gutierrez & Sachs, LLP

PO Box:

Street Address: 8300 Greensboro Drive, Suite 1200

City: McLean

State: VA

Contact Name: Pamela Gist
Contact Phone: (703) 584-8665
Contact Fax: (703) 584-8696
Contact Email: pgist@fcclaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <http://sprocketwireless.com/hac-compliance/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Compliant handset models are publicly identified for consumers and audiologists. Compliant models are listed on the company web site, and its retail salespeople are trained to assist with complaint digital wireless phones. Compliant handsets are available for testing in retail locations. Written materials and promotional literature are provided at the point of sale and on the website, addressing the needs of individuals with hearing disabilities. Such consumers are given a 30-day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids.

Methodology for Functionality Levels

PDAs or smartphones generally have advanced features such as expandable memory, enhanced camera, Bluetooth,

video, Internet access, touch screen UI, faster processing, email, full QWERTY keypads, and in many cases Windows Office Mobile, to meet the demands of mobile business professionals and consumers.

High Tier Phones have features for demanding users, including Bluetooth, Internet access capability, increased RAM storage or expandable memory, high-resolution color display, enhanced camera and video capability, and music MP3 player functionality. They typically feature a modern, sleek design, often are slider form factor.

Mid Tier Phones may have a camera, Bluetooth, or Internet access capability, but are less likely to offer video, music or media player capability. Design is typically less stylish, tends to be clamshell or flip form factor.

Low Tier Phones offer basic wireless telephone features, may not have a camera, Bluetooth, or Internet access capability, and generally lack such features MP3 players and expandable memory. Typically utilitarian design suitable for customers using voice/text only, tends to be flip or bar form factor.

Report Remarks

Cross Valliant Cellular Partnership does not operate voice communications network facilities utilizing GSM, VoLTE, WCDMA, AWS, WiFi or WiMax air interfaces.

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets	Total by Air Interface
	Number	Percent	Number	Percent		
CDMA	25	96%	1	4%		26
LTE	14	93%	1	7%		15
Wi-Fi	19	95%	1	5%		20

Handset 1: HTC ONE

Handset Maker

HTC

Handset Model Name

ONE

FCC ID

NM8PN07310

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 02/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 2: HTC ONE M9

Handset Maker

HTC

Handset Model Name

ONE M9

FCC ID

NM80PJA300

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 3: Huawei Ascend M866

Handset Maker

Huawei

Handset Model Name

Ascend M866

FCC ID

QISM866

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 4: Kyocera DuraScout ES6782L

Handset Maker

Kyocera

Handset Model Name

DuraScout ES6782L

FCC ID

V65E6782

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 5: LG AN200 SABER

Handset Maker

LG

Handset Model Name

AN200 SABER

FCC ID

BEJUN200

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 6: LG G4

Handset Maker

LG

Handset Model Name

G4

FCC ID

ZNFVS986

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 7: LG LG870**Handset Maker**

LG

Handset Model Name**FCC ID**

LG870

ZNFVS870

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 8: LG Optimus Select AS730

Handset Maker

LG

Handset Model Name

FCC ID

Optimus Select AS730

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 9: LG Wine II AN430

Handset Maker

LG

Handset Model Name

FCC ID

Wine II AN430

BEJUN430

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 10: Motorola Moto E**Handset Maker**

Motorola

Handset Model Name**FCC ID**

Moto E

IHDT56QC8

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 11: Motorola Moto E (2nd) XT1526

Handset Maker

Motorola

Handset Model Name FCC ID

Moto E (2nd) XT1526 IHDT56QC7

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 12: Motorola Moto G (XT1031)

Handset Maker

Motorola

Handset Model Name FCC ID

Moto G (XT1031) IHDT56PF3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks**Handset 13: Motorola Moto Maxx****Handset Maker**

Motorola

Handset Model Name**FCC ID**

Moto Maxx

IHDT56PK1

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 14: Motorola Moto X

Handset Maker

Motorola

Handset Model Name

Moto X

FCC ID

IHDT56PB1

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 15: Samsung CORE PRIME LTE

Handset Maker

Samsung

Handset Model Name

CORE PRIME LTE

FCC ID

A3LSMG360V

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 16: Samsung Galaxy S4

Handset Maker

Samsung

Handset Model Name

Galaxy S4

FCC ID

A3LSCHI545

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 17: Samsung Galaxy S4 Mini

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy S4 Mini

A3LSCHI435

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 18: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900V

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 19: Samsung GALAXY S6

Handset Maker

Samsung

Handset Model Name

GALAXY S6

FCC ID

A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 20: Samsung GALAXY S6 EDGE

Handset Maker

Samsung

Handset Model Name

FCC ID

GALAXY S6 EDGE

A3LSMG925V

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 21: Samsung Note 5

Handset Maker

Samsung

Handset Model Name

Note 5

FCC ID

A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 22: Samsung R261 Chrono

Handset Maker

Samsung

Handset Model Name

R261 Chrono

FCC ID

A3LSCHR261

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 23: Samsung R270

Handset Maker

Samsung

Handset Model Name

R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 24: Samsung R720 Admire

Handset Maker

Samsung

Handset Model Name

R720 Admire

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 25: SONIM XP3400 Armor**Handset Maker**

SONIM

Handset Model Name**FCC ID**

XP3400 Armor

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 26: SONIM XP4400 Enduro

Handset Maker

SONIM

Handset Model Name

XP4400 Enduro

FCC ID

WYPC21F007AC

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Certification

This Report has been certified by:

John C Ruhl Wireless General Manager
01/13/2016 11:37 AM